






















| | | | | | | |
|---|--|--|-----------------------------|-------------------------------------|----------|---------------------------------|
| SUBSTITUTE FORM PTO-1449 (MODIFIED) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | Attorney Docket No. 50026/012003 | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | Serial No. | | To Be Assigned | | |
| | | Applicant | | Keiia Ozawa | | |
| | | Filing Date | | July 13, 2001 | | |
| | | Group | | | | |
| | | IDS Filed | | July 13, 2001 | | |
| (37 C.F.R. §1.98(b)) | | | | | | |
| U.S. PATENTS | | | | | | |
| Examiner's Initials | Patent Number | Issue Date | Patentee | Class | Subclass | Filing Date (If Appropriate) |
| | | | | | | |
| FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION | | | | | | |
| Examiner's Initials | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation (Yes/No) |
| | | | | | | |
| OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) | | | | | | |
|  | Aki et al., "Identification and Characterization of Positive Regulatory Elements in the Human Glyceraldehyde 3-Phosphate Dehydrogenase Gene Promoter," J. Biochem. 122:271-278 (1997). | | | | | |
| | Avalos, "Molecular Analysis of the Granulocyte Colony-Stimulating Factor Receptor," Blood 88:761-777 (1996). | | | | | |
| | Berthois et al., "Phenol red in tissue culture media is a weak estrogen: Implications concerning the study of estrogen-responsive cells in culture," Proc. Natl. Acad. Sci. USA 83:2496-2500 (1986). | | | | | |
| | Blaesé et al., "T Lymphocyte-Directed Gene Therapy for ADA-SCID: Initial Trial Results After 4 Years," Science 270:475-480 (1995). | | | | | |
| | Bordignon et al., "Gene Therapy in Peripheral Blood Lymphocytes and Bone Marrow for ADA-Immunodeficient Patients," Science 270:470-475 (1995). | | | | | |
| | Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:456-464 (1996). | | | | | |
| | Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Molecular Endocrinology 7:232-240 (1993). | | | | | |
| | Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Molecular and Cellular Biology 13:7774-7781 (1993). | | | | | |
| | Dunbar et al., "Gene Transfer into Hematopoietic Progenitor and Stem Cells: Progress and Problems," Stem Cells 12:563-576 (1994). | | | | | |
|  | Fukunaga et al., "Growth and Differentiation Signals Mediated by Different Regions in the Cytoplasmic Domain of Granulocyte Colony-Stimulating Factor Receptor," Cell 74:1079-1087 (1993). | | | | | |
| EXAMINER  | DATE CONSIDERED <i>Nov. 15, 2003</i> | | | | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant. | | | | | | |

Jc978 U.S. PTO
 09/905592

07/13/01

| | | |
|---|---|---|
| SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. §1.98(b)) | Attorney Docket No. Serial No. Applicant Filing Date Group IDS Filed | 50026/012003 To Be Assigned Keiya Ozawa July 13, 2001 July 13, 2001 |
| OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) | | |
|  | Fukunaga et al., "Functional domains of the granulocyte colony-stimulating factor receptor," The EMBO Journal 10:2855-2865 (1991). | |
|  | Fukunaga et al., "Purification and Characterization of the Receptor for Murine Granulocyte Colony-stimulating Factor," The Journal of Biological Chemistry 265:14008-14015 (1990). | |
|  | Gabbianelli et al., "Multi-Level Effects of flt3 Ligand on Human Hematopoiesis: Expression of Putative Stem Cells and Proliferation of Granulomonocytic Progenitors/Monocytic Precursors," Blood 86:1661-1670 (1995). | |
|  | Gossen et al., "Tight control of gene expression in mammalian cells by tetracycline-responsive promoters," Proc. Natl. Acad. Sci. USA 89:5547-5551 (1992). | |
|  | Hanania et al., "Serial transplantation shows that early hematopoietic precursor cells are transduced by MDR-1 retroviral vector in a mouse gene therapy model," Cancer Gene Therapy 1:21-25 (1994). | |
|  | Haniü et al., "Extracellular Domain of Granulocyte-Colony Stimulating Factor Receptor," Archives of Biochemistry and Biophysics 324:344-356 (1995). | |
|  | Hockenbery et al., "Bcl-2 Functions in an Antioxidant Pathway to Prevent Apoptosis," Cell 75:241-251 (1993). | |
|  | Hollenberg et al., "Use of a conditional MyoD transcription factor in studies of MyoD trans-activation and muscle determination," Proc. Natl. Acad. Sci. USA 90:8028-8032 (1993). | |
|  | Hope et al., "trans-Dominant Inhibition of Human Immunodeficiency Virus Type 1 Rev Occurs through Formation of Inactive Protein Complexes," Journal of Virology 66:1849-1855 (1992). | |
|  | Hudak et al., "FLT3/FLK2 Ligand Promotes the Growth of Murine Stem Cells and the Expansion of Colony-Forming Cells and Spleen Colony-Forming Units," Blood 85:2747-2755 (1995). | |
|  | Ikebuchi et al., "Granulocyte colony-stimulating factor enhances interleukin 3-dependent proliferation of multipotential hemopoietic progenitors," Proc. Natl. Acad. Sci. USA 85:3445-3449 (1988). | |
|  | Ito et al., "Development of a Novel Selective Amplifier Gene for Controllable Expansion of Transduced Hematopoietic Cells," Blood 90:3884-3892 (1997). | |
|  | Karlsson, "Treatment of Genetic Defects in Hematopoietic Cell Function by Gene Transfer," Blood 78:2481-2492 (1991). | |
|  | Littlewood et al., "A modified oestrogen receptor ligand-binding domain as an improved switch for the regulation of heterologous proteins," Nucleic Acids Research 23:1686-1690 (1995). | |
|  | Luo et al., "Oligomerization activates c-Raf-1 through a Ras-dependent mechanism," Nature 383:181-185 (1996). | |
| EXAMINER  | DATE CONSIDERED <i>Nov 15 2003</i> | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant. | | |

| | | | |
|---|---|---------------------|----------------|
| SUBSTITUTE FORM PTO-1449 (MODIFIED) | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | Attorney Docket No. | 50026/012003 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | Serial No. | To Be Assigned |
| (37 C.F.R. §1.98(b)) | | Applicant | Keiia Ozawa |
| | | Filing Date | July 13, 2001 |
| | | Group | |
| | | IDS Filed | July 13, 2001 |
| OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) | | | |
|  | Medin et al., "A Bicistomic Therapeutic Retroviral Vector Enables Sorting of Transduced CD34+ Cells and Corrects the Enzyme Deficiency in Cells From Gaucher Patients," Blood 87:1754-1762 (1996). | | |
| | Molineux et al., "The Effects on Hematopoiesis of Recombinant Stem Cell Factor (Ligand for c-kit) Administered In Vivo to Mice Either Alone or in Combination With Granulocyte Colony-Stimulating Factor," Blood 78:961-966 (1991). | | |
| | Nagamune et al., "The development of artificial receptor-expressing cells capable of being switched by antigen-antibody reactions," Pharmacia 36(6):474-478 (2000). (English translation attached). | | |
| | Pawliuk et al., "Selection of Retrovirally Transduced Hematopoietic Cells Using CD24 as a Marker of Gene Transfer," Blood 84:2868-2877 (1994). | | |
| | Picard et al., "A Movable and Regulable Inactivation Function within the Steroid Binding Domain of the Glucocorticoid Receptor," Cell 54:1073-1080 (1988). | | |
| | Planelles et al., "A new reporter system for detection of retroviral infection," Gene Therapy 2:369-376 (1995). | | |
| | Richardson et al., "Preselection of Transduced Murine Hematopoietic Stem Cell Populations Leads to Increased Long-Term Stability and Expression of the Human Multiple Drug Resistance Gene," Blood 86:2579-2589 (1995). | | |
| | Roemer et al., "Modulation of cell proliferation and gene expression by a p53-estrogen receptor hybrid protein," Proc. Natl. Acad. Sci. USA 90:9252-9256 (1993). | | |
| | Romano et al., "Recent Advances, Prospects and Problems in Designing New Strategies for Oligonucleotide and Gene Delivery in Therapy," in vivo 12:59-68 (1998). | | |
| | Sorrentino et al., "Selection of Drug-Resistant Bone Marrow Cells in Vivo After Retroviral Transfer of Human MDR1," Science 257:99-103 (1992). | | |
| | Takebayashi et al., "Hormone-induced Apoptosis by Fas-Nuclear Receptor Fusion Proteins: Novel Biological Tools for Controlling Apoptosis in Vivo," Cancer Research 56:4164-4170 (1996). | | |
| | Tong et al., "In Vivo Administration of Recombinant Methionyl Human Stem Cell Factor Expands the Number of Human Marrow Hematopoietic Stem Cells," Blood 82:784-791 (1993). | | |
| | Walsh et al., "A Functionally Active Retrovirus Vector for Gene Therapy in Fanconi Anemia Group C," Blood 84:453-459 (1994). | | |
| | Welte et al., "Filgrastim (r-metHuG-CSF): The First 10 Years," Blood 88:1907-1929 (1996). | | |
| | White et al., "Molecular Analysis of the Region of Distal 1p Commonly Deleted in Neuroblastoma," European Journal of Cancer 33:1957-1961 (1997). | | |
|  | Yoshikawa et al., "Distinct signal transduction through the tyrosine-containing domains of the granulocyte colony stimulating factor receptor," The EMBO Journal 14:5288-5296 (1995). | | |
| EXAMINER | DATE CONSIDERED | Nov 15, 2003 | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant. | | | |